

Bearing, Bushing And Seal Drivers



27797 Master Set
(Board not included)

No. 27793
Starter Set

Patent No. 4,429,447
7180

Universal bearing cup installer

This installer adjusts to fit bearing cups from 92-165 mm O.D. Replaces over two dozen plates and drivers. Simply adjust the jaws to fit the cup I.D., lock the jaws, slip the new cup on and drive it home with a hammer. Will not damage new bearings.

No. 7180 – Univ. bearing cup installer. Wt., 4.5 kg.

Assemble your own “custom-made” driver tools

These sets include discs and handles for custom seal driver assembly to provide a pilot (to prevent cocking), a spacer (so force is applied on the proper area) and a driver (for even force dist.). Discs range from 12.7 mm thru 114.3 mm diameters in 1.6 mm increments. Each set includes a handy plastic box with pre-cut tool tray.

No. 27793 – Starter Set. Contains handle and discs especially selected to provide the driver sizes most frequently needed. Maximum utility at a modest investment! Wt., 1.8 kg.


No. 27794 – Basic Set. Wide coverage, low investment! Includes 41 discs and two handles. Size range: 12.7 mm thru 76.2 mm diameter. Wt., 10 kg.

No. 27795 – Big Job Set. Used for servicing large components. You get coverage of 77.8 mm thru 114.3 mm diameter with the 24 discs and handle provided. Wt., 20.4 kg.

No. 27797 – Master Set. For maximum coverage. Three handle sizes and all 65 discs listed in chart at left are included. Range: 12.7 mm thru 114.3 mm diameter. Wt., 30.9 kg.

No. 212377 – Tool organizer board. Will accommodate all components of 27797 Master Set. Tools not included. Wt., 2.3 kg.

With these handy sets you have the proper-size driver for any seal, bearing or bushing installing job. Simply select the proper-size discs, attach to handle with cap screws and strike with hammer.



Order No.	Discs	
	MM	Inch
27491	12.7	1/2
27492	14.3	9/16
27493†	15.9	5/8
27494	17.5	11/16
27495†	19.0	3/4
27496	20.6	13/16
27497†	22.2	7/8
27498	23.8	15/16
27499†	25.4	1
27500	27.0	1 1/16
27501†	28.6	1 1/8
27502	30.2	1 3/16
27503†	31.8	1 1/4
27504	33.3	1 5/16
27505†	34.9	1 3/8
27506	36.5	1 7/16
27507†	38.1	1 1/2
27508	39.7	1 9/16
27509†	41.3	1 5/8
27510	42.9	1 11/16
27511†	44.4	1 3/4
27512	46.0	1 13/16
27513†	47.6	1 7/8
27514	49.2	1 15/16
27515	50.8	2
27516	52.4	2 1/16
27517	54.0	2 1/8
27518	55.6	2 3/16
27519	57.2	2 1/4
27520	58.7	2 5/16
27521	60.3	2 3/8
27522	61.9	2 7/16
27523	63.5	2 1/2

Order No.	Discs	
	MM	Inch
27524	65.1	2 9/16
27525	66.7	2 5/8
27526	68.3	2 11/16
27527	69.8	2 3/4
27528	71.4	2 13/16
27529	73.0	2 7/8
27530	74.6	2 15/16
27531	76.2	3
27532	77.8	3 1/16
27533	79.4	3 1/8
27534	81.0	3 3/16
27535	82.6	3 1/4
27536	84.1	3 5/16
27537	85.7	3 3/8
27538	87.3	3 7/16
27539	88.9	3 1/2
27540	90.5	3 9/16
27541	92.1	3 5/8
27542	93.7	3 11/16
27543	95.3	3 3/4
27544	96.8	3 13/16
27545	98.4	3 7/8
27546	100.0	3 15/16
27547	101.6	4
27548	103.2	4 1/16
27549	104.8	4 1/8
27550	106.4	4 3/16
27551	108.0	4 1/4
27552	109.5	4 5/16
27553	111.1	4 3/8
27554	112.7	4 7/16
27555	114.3	4 1/2

Set Components	
Order No.	Description
10012†	1/4"-20 UNC X 22.2 mm *
10020†	1/4"-20 UNC X 31.8 mm *
10854†	1/4"-20 UNC X 44.5 mm
10855†	1/4"-20 UNC X 70 mm *
12001†	1/4"-20 UNC X 57 mm *
27487†	Small Handle 127 X 19 mm Dia.
27488	Med. Handle 152 X 31.8 mm Dia.
27489	Large Handle 152 X 41.3 mm Dia.
27490	Extension Tube
7350†	Allen Wrench



†Contents of Set No. 27793. *Socket head cap screw.