

## Ratcheting chain wrenches

Special head design allows you to turn wrench in either direction. Ratcheting action makes it possible to re-grip without removal. For parts of most any size and shape.

- No. 7400** – Chain wrench, cap. 12.7-121 mm O.D. (Capacity=452 N•m) Wt., .9 kg.
- No. 7401** – Chain wrench, cap. 76.2-171 mm O.D. (Capacity=906 N•m) Wt., 2.3 kg.
- No. 209199** – Replacement chain with pin for No. 7400 chain wrench (406 mm long).
- No. 209200** – Replacement chain with pin for No. 7401 chain wrench (610 mm long).

## Adjustable hook spanner wrench

Needed wherever turret adjusting nuts or packing gland nuts are used. Cap.: 38.1 to 102 mm. Handle overall length: 483 mm.

- No. 885** – Adjustable hook spanner wrench. Wt., 1.4 kg.

## Adjustable hook spanner wrenches

Replace many fixed-size wrenches... cover range of capacities needed to service industrial tractors and other equipment. Drop-forged jaws adjust to eleven positions for a capacity of 121-324 mm O.D. Handle overall length: 610 mm; diameter: 25.4 mm.

- No. 7307** – Spanner wrench with one 9.5 mm thick jaw. Wt., 3.3 kg.
- No. 7308** – Spanner wrench with two interchangeable jaws: one 9.5 mm thick, one 19 mm thick. Wt., 5 kg.

## Heavy-duty adjustable spanner

Extra heavy construction. Has one 19 mm thick, eleven-position hook-jaw for a capacity of 131-324 mm O.D. Drop-forged. Handle length: 654 mm; handle dia.: 33.3 mm

- No. 7309** – Heavy duty adjustable hook spanner wrench. Wt., 6 kg.

## Adjustable gland nut wrench

Designed to handle 51-152 mm dia. hydraulic cylinder gland nuts on many construction vehicles. Fits 6.4 mm and 7.9 mm dia. pin holes; features a 3/4" sq. drive.

- No. 1266** – Adjustable gland nut wrench. Wt., 1.4 kg.
- No. 204928** – Replacement pin for No. 1266

## Pry bars

Our rolling head pry bars are an extremely popular and useful tool. Head may be used for almost any prying job since a great deal of leverage can be obtained. Long tapered body may be used as a lining-up drift.

- No. 7162** – Pry bar; 9.5 mm round, 152 mm long. Wt., 142 g.
- No. 7163** – Pry bar; 11.1 mm round, 305 mm long. Wt., 0.3 kg.
- No. 7164** – Pry bar; 14.3 mm round, 406 mm long. Wt., 0.5 kg.
- No. 7165** – Pry bar; 19 mm round, 457 mm long. Wt., 1 kg.

## Jimmy bars

Ideal for general lifting or prying. Heat treated chrome alloy steel to resist bending or breaking.

- No. 7166** – Jimmy bar; 15.9 mm round, 457 mm long. Wt., 0.6 kg.
- No. 7167** – Jimmy bar; 19 mm round, 610 mm long. Wt., 1.1 kg.
- No. 7168** – Jimmy bar; 22.2 mm round, 762 mm long. Wt., 1.9 kg.

## “Major Persuader” jimmy bars

Two big jimmy bars for big jobs. Forged from chrome alloy steel.

- No. 7420** – Jimmy bar; 22.2 mm round, 1,168 mm long. Wt., 3.4 kg.
- No. 7421** – Jimmy bar; 25.4 mm round, 1,372 mm long. Wt., 5.1 kg.

